COMMONWEALTH OF KENTUCKY BEFORE THE PUBLIC SERVICE COMMISSION

RECEIVED

In the matter of the petition of:			MAY 2 4 2012
APPALACHIAN WASTE CONTROL, INC.)	PUBLIC SERVICE COMMISSION
COMPL	AINANT)	
VS.)	CASE NO. 2012-00035
THELMA WASTE CONTROL, INC.)	
RESPO	NDENT)	

MOTION FOR CONTINUANCE

The Complainant, Appalachian Waste Control, Inc., by its Receiver, John B. Baughman moves the Commission as follows:

- 1. To continue the hearing currently scheduled for May 30, 2012 at 9:00 a.m. for at least 60 days.
- 2. The basis of the Motion is information received at the Pre-Hearing Conference on May 23, 2012 from Counsel for the Respondent, Thelma Waste Control, Inc. indicating the owners of that Corporation may not be able to continue the operation of its two (2) Waste Water Treatment Plants for more than a few years due to their age, financial limitations and the limited income from their Waste Water Treatment Plants.
- 3. The Complainant believes additional time will be necessary to: (a) review options for the improvement of the Respondent's Waste Water Treatment Plants and, (b) to consider alternative utility to extend service to the Complainant's customers.

JOHN B. BAUGHMAN

Receiver

APPALACHIAN WASTE CONTROL, INC.

P. O. Box 676

Frankfort, Kentucky 40602-0676

CERTIFICATE OF SERVICE

This is to certify that a true and correct copy of the foregoing Response was mailed on this the 24th day of May, 2012 to the following:

Hon. Michael S. Endicott Johnson County Attorney's Office 225 Court St. P.O. Box 1287 Paintsville, KY 41240

Hon. John West Environmental and Public Protection Cabinet Office of Legal Services 200 Fair Oaks Lane, First Floor Frankfort, KY 40601

Jeff Derouen Executive Director Public Service Commission P. O. Box 615 Frankfort, KY 40602

IOHN B!BAYGHMAN